

Auto Repair Tools



Torque value of Jetechn Torque Wrench is from 4 to 20Nm, 0.1 carry unit while others in market is 0.25Nm, not able to adjust 4.1Nm, 4.2Nm or 4.3 Nm, only get 4.25 Nm. Jetechn Torque Wrench supplies more choices to users.

DIY Grade

Cheaper
Normal Steel Spring
Lower Precision
Shorter life

Industrial Grade

Expensive
High Quality
Alloy steel Spring
High precision
Long life

JETECH Torque Wrench measures up standard DIN6789. After 5000 times fatigue testing under maximum torque. its deviation still keep less than 2%.



Quick-release Design

JETECH Torque Wrench has well lock design. The handle design accords with ergonomics theory which ensure the handle never slide off even there is oil on user's hands. The quick release design make torque adjustment more quickly.




STW-9

OFW-1/2

皮带滤清扳手/两用滤清扳手

Bell Type / Combination Oil Filter Wrench


Model No.	Size (mm)	Packing
STW-9	19.5-225	60/10
OFW-1/2	63-102	60/10



12" 链条扳手

12" Chain Type Wrench(Automotive)

Model No.	A (mm)	B (mm)	Packing
CPW-12	310	410	24 (4)



柔性磁性捡拾器

Flexible Magnetic Pick Up Tool

Model No.	A (mm)	B (mm)	C (mm)	Packing
MPU-17	22	415	510	36 (6)



汽修组套工具

Auto Repair Tool Set

Model No.	Packing
A12-IM-15S	16 (1)



压缩器

Piston Ring Compressor

Model No.	Packing	Opening
PRC-75	120/60	53-125mm
PRC-100	120/60	90-175mm



17mm
19mm
21mm
23mm

十字轮胎扳手

Chrome Cross Wheel Nut Wrench

Model No.	Packing
4WLW-400	2 (2)



吹尘枪

Nylon Pneumatic Air Duster

Model No.	Packing
A12-BG-100	60 (10)
A12-BG-250	60 (5)

- * Industrial Grade Torque Wrench
- * High Quality Alloy Steel Spring
- * Long Arm Design

The quick release design make torque adjustment more quickly.



扭力扳手

Quick-Release Torque Wrench

Model No.	Size (mm)	Packing
TQW 1/2-40-200	510	12
TQW 1/2-60-340	615	12





HFJ-20



HBJ-5



HBJ-20

2. 0吨 - 重型卧式液压千斤顶


Heavy Duty Hydraulic Floor Jack (Low Profile)

Model	Min/Max Height	Net Weight	Packing	
HFJ-20	76-505mm	34kg	1	


立式液压千斤顶

Hydraulic Bottle Jack

Model	Min/Max Height	Net Weight	Rated Capacity	Packing
HBJ-2	158-308mm	2.7kg	2000kg	8
HBJ-3	195-308mm	3.4kg	3000kg	6
HBJ-5	197-382mm	4.6kg	5000kg	6
HBJ-8	205-390mm	5.8kg	8000kg	4
HBJ-10	205-390mm	6.5kg	10000kg	4
HBJ-16	225-425mm	8.3kg	16000kg	2
HBJ-20	244-449mm	11kg	20000kg	2
HBJ-32	285-465mm	21kg	32000kg	1
HBJ-50	300-480mm	31.2kg	50000kg	1



- Heavy duty chrome vanadium steel construction.
- Inside and outside reversible jaws.



- Heavy duty chrome vanadium steel construction.
- Inside and outside reversible jaws.

两爪拉马 (帮手)

Two Claws Gear Puller

Model No.	Min - Max (mm)	Packing	
2GP-75	15 - 80	20	(1)
2GP-100	20 - 110	20	(1)
2GP-150	25 - 160	12	(1)
2GP-200	30 - 210	5	(1)
2GP-250	40 - 265	4	(1)
2GP-300	50 - 315	2	(1)

三爪拉马 (帮手)

Three Claws Gear Puller

Model No.	Min - Max (mm)	Packing	
3GP-75	15 - 80	20	(1)
3GP-100	20 - 110	20	(1)
3GP-150	25 - 160	10	(1)
3GP-200	30 - 210	4	(1)
3GP-250	40 - 265	4	(1)
3GP-300	50 - 315	2	(1)

