



Wrench



JETECH wrenches, precisely machined, made of Chrome-Vanadium alloy steel, with well surface polished, assure that the dimensions of both open end and ring meet the standards of ANSI, DIN and GB.

Comparison of Mouth And Torsion As Per Illustration




Torsion correspondingly increase in parallel according to sizes of open end wrenches and comply to the following standard.

ISO 1711-1 NF ISO 1711-1 DIN 899

Torx Hole Machined Through Round Hole

12-point box wrench, machined through round hole, can hold angle of bolt/nut heads to fasten without deforming bolt/nut heads.



ADJUSTABLE WRENCHES



Laser printed scale at the mouth of adjustable wrench, enable users to measure size of bolt/nut heads.



Ergonomic soft handles for adjustable wrenches, made of elastic plastic material to make comfortably strong grip.




两用扳手

Individual Combination Wrench

Model No.	Size (mm)	Packing		Model No.	Size (mm)	Packing	
COM-5.5	5.5	120	(12)	COM-25	25	36	(6)
COM-6	6	120	(12)	COM-26	26	36	(6)
COM-7	7	120	(12)	COM-27	27	36	(6)
COM-8	8	120	(12)	COM-28	28	36	(6)
COM-9	9	120	(12)	COM-29	29	36	(6)
COM-10	10	120	(12)	COM-30	30	36	(6)
COM-11	11	120	(12)	COM-32	32	36	(6)
COM-12	12	120	(12)	COM-33	33	24	(2)
COM-13	13	120	(12)	COM-35	35	24	(2)
COM-14	14	120	(12)	COM-36	36	24	(2)
COM-15	15	120	(12)	COM-38	38	24	(2)
COM-16	16	120	(12)	COM-41	41	16	(2)
COM-17	17	120	(12)	COM-42	42	16	(2)
COM-18	18	120	(12)	COM-44	44	16	(2)
COM-19	19	120	(12)	COM-46	46	16	(2)
COM-20	20	60	(6)	COM-50	50	12	(2)
COM-21	21	60	(6)	COM-55	55	6	(1)
COM-22	22	60	(6)	COM-60	60	6	(1)
COM-23	23	60	(6)	COM-65	65	6	(1)
COM-24	24	36	(6)				






活络扳手

Chrome Plated Adjustable Wrench


Model No.	Opening		Packing	
AW-100	14.0	100	120	(10)
AW-150	20.0	150	60	(10)
AW-200	25.0	200	60	(10)
AW-250	30.0	250	60	(10)
AW-300	36.0	300	40	(10)
AW-375	46.0	375	24	(4)
AW-450	55.0	450	8	(1)
AW-600	63.0	600	6	(1)



软柄活络扳手

Softgrip Adjustable Wrench

Model No.	Opening		Packing	
AWS-150	20.0	150	60	(10)
AWS-200	28.0	200	60	(10)
AWS-250	30.0	250	60	(10)
AWS-300	40.0	300	40	(10)



套庄两用扳手

Cr.V. Combination Wrench Set

Model No.	Size (mm)	Packing	
COM-S14A	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24	6	(1)
COM-S14B	8, 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32	4	(1)



套装两用扳手

Cr.V Combination Wrench Set

Model No.	Size (inches)	Packing	
COM-S14IN	3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"	12	(2)



套庄梅花扳手


Cr.V. Double End Ring Wrench Set

Model No.	Size (mm)	Packing
OFS-S8	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22	12 (2)

棘轮扳手套装

Chrome-Vanadium Gear Wrench

Model No.	Size (mm)	Packing
GR-S12	8,9,10,11,12,13,14,15, 16,17,18,19	10 (5)



梅花扳手

Cr.V. Double End Ring Wrench

Model No.	Size (mm)	Packing
OFS6-7	6 x 7	120 (12)
OFS8-9	8 x 9	120 (12)
OFS8-10	8 x 10	120 (12)
OFS10-11	10 x 11	120 (12)
OFS10-12	10 x 12	120 (12)
OFS12-13	12 x 13	120 (12)
OFS12-14	12 x 14	120 (12)
OFS14-15	14 x 15	120 (12)
OFS14-17	14 x 17	120 (12)
OFS16-17	16 x 17	60 (6)
OFS17-19	17 x 19	60 (6)
OFS18-19	18 x 19	60 (6)
OFS19-21	19 x 21	60 (6)
OFS20-22	20 x 22	60 (6)
OFS24-26	24 x 26	36 (6)
OFS30-32	30 x 32	36 (6)

棘轮两用扳手

Chrome-Vanadium Gear Wrench

Model No.	Size AxB (mm)	Packing
GR-8	8 x 16.8	200 (10)
GR-9	9 x 18.5	200 (10)
GR-10	10 x 20.3	200 (10)
GR-11	11 x 21.5	200 (10)
GR-12	12 x 22.5	150 (10)
GR-13	13 x 24.5	150 (10)
GR-14	14 x 26.5	150 (10)
GR-15	15 x 28.5	150 (10)
GR-16	16 x 30.8	100 (10)
GR-17	17 x 31.0	100 (10)
GR-18	18 x 32.5	100 (10)
GR-19	19 x 34.0	100 (10)
GR-21	21 x 40.5	20 (5)

